

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020169839".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 17:58
S2	1	GOLDBERG-BERNOL.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 17:29
S3	442	(e-mail or email) near5 customiZ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 17:33
S4	5	modif\$5 adj6 (e-mail or email) with customiZ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:33
S5	2	("6073133").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 17:41
S6	200	(modif\$5 or creat\$3 or generat\$3 or build\$3 or construct\$3) adj5 ((email or e-mail) adj6 (custom\$6 or profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 17:42
S7	80	S6 and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:03
S8	5	(modif\$5 or creat\$3 or generat\$3 or build\$3 or construct\$3) adj5 ((email or e-mail) adj6 ((custom\$6 or profile)))near5 (set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 19:54
S9	1	(verif\$5 or check\$3 or determin\$5 or pars\$3) with (email or e-mail) adj5 (attach\$5) same (modif\$5 or insert\$3) with (body or title or subject)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 20:16

S10	9	(scan\$4 or pasr\$2) adj5 (text or body or message) with (insert\$3 near5 subject)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 20:50
S11	0	(scan\$4 or pasr\$2) adj5 (text or body or message) same (insert\$3 near5 subject) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 20:50
S12	8	(scan\$4 or pasr\$2) adj5 (text or body or message) same ((modif\$5 or insert\$3) with (body or subject)) and (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 20:58
S13	0	(insert\$3 adj6 urgent) with (subject) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:00
S14	0	insert\$3 adj6 (keyword\$1! or phrase\$1!) with (body or title or subject) adj5 (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:02
S15	0	insert\$3 adj6 (keyword\$1! or phrase\$1!) same (body or title or subject) adj5 (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:02
S16	0	insert\$3 adj6 (keyword\$1! or phrase\$1!) same (body or title or subject) same (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:02
S17	447	insert\$3 with (body or title or subject) same (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:02
S18	200	(modif\$5 or creat\$3 or generat\$3 or build\$3 or construct\$3) adj5 ((email or e-mail) adj6 (custom\$6 or profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:03
S19	1	S18 and @ad<"20010320" and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:19

S20	0	("709"/(205-207,232,245-246). ccls.) and (insert\$3 adj6 urgent with (subject or header or body or title)) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:40
S21	1	(insert\$3 adj6 urgent with (subject or header or body or title)) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:23
S22	2	(modif\$5 adj6 (subject or header or body or title)) with (attach\$5 or priority or urgent or security) with (detect\$3 or found) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:25
S23	6	(modif\$5 adj6 (subject or header or body or title)) same (attach\$5 or priority or urgent or security) with (detect\$3 or found) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 21:41
S24	69	(custom\$6 adj2 set\$4 with (email or e-mail or mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:01
S25	25	S24 and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:01
S26	16	(insert\$3 or modif\$5) adj5 (text or word\$1! or phrase\$1!) with ((select\$3 near3 parameter\$1!) or (customiz\$5 near2 set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:39
S27	1	("709"/(205-207,232,245-246). ccls.) and (check\$3 or verif\$5 or detect\$3 or pars43 or scan\$4) adj6 (attach\$5 adj indicator\$1!) and @ad<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:52
S28	22	(check\$3 or verif\$5 or detect\$3 or pars43 or scan\$4) adj6 (attach\$5 adj indicator\$1!) and @ad<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:57
S29	616	(email or e-mail or (electronic adj mail)) near4 verif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:58

S30	7	(email or e-mail or (electronic adj mail)) near4 verif\$5 with (indicator\$1!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 22:59
S31	27	S29 and (insert\$3 adj5 (text or phrase or word\$1!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 23:00
S32	13	(insert\$3 adj5 (attach\$5 near4 (term\$1! or word\$1! or phrase\$1! or text))) with (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 12:25
S33	183	(insert\$3 adj5 (attach\$5 or ugen\$2 or priority or term\$1! or word\$1! or phrase\$1! or text)) with (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 14:01
S34	35	(notif\$5 adj4 recipient\$1! with (set\$5 or parameters))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 14:11
S35	1	S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 14:02
S36	11	modif\$5 adj5 (text or content or body) adj6 ((email or e-mail) adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 14:21
S37	18	modif\$5 with (email or e-mail or (electronic adj mail)) with recipient\$1! near5 (set\$4 or specif\$5 or select\$3 or set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 14:24
S38	0	(email or e-mail or (electronic adj mail)) with (automatic\$5 or dynamic\$5) near2 (modif\$5 or add\$3 or attach\$5 or insert\$3 or append\$3) near5 (urgen\$2 or priority or encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:07
S39	0	(email or e-mail or (electronic adj mail)) with (automatic\$5 or dynamic\$5) near5 (modif\$5 or add\$3 or attach\$5 or insert\$3 or append\$3) near5 (urgen\$2 or priority or encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:07

S40	803	(email or e-mail or (electronic adj mail)) with (automatic\$5 or dynamic\$5) near5 (modif\$5 or add\$3 or attach\$5 or insert\$3 or append\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:08
S41	15	(par\$3 or scan\$3 or verif\$5) adj5 (email or e-mail or (electronic adj mail)) with (automatic\$5 or dynamic\$5) near5 (modif\$5 or add\$3 or attach\$5 or insert\$3 or append\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:15
S42	5	(par\$3 or scan\$3 or verif\$5) adj5 (email or e-mail or (electronic adj mail)) with (urgent or urgency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:16
S43	13	notif\$5 adj5 (recipient\$!) adj4 (customiz\$33 or attachment\$1! or urgen\$2) same (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:20
S44	29	(email or e-mail) with (save adj button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 17:17
S45	12	((email or e-mail) adj program) near4 save\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:40
S48	2	(email or e-mail) adj program adj7 sav\$3 and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:12
S49	0	(email or e-mail) with save adj4 draft and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:23
S50	2	(email or e-mail) with save adj (icon or button)and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:09
S58	135	(modif\$5 or insert\$3) adj6 (body or text or content) adj3 (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:44

S59	49	S58 and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:16
S60	544	(user or sender) near4 setting\$1! with (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:44
S61	1	("709"/(205-207).ccs.) and S50 and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:46
S62	43	("709"/(205-207).ccs.) and S60 and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:02
S63	27	notif\$7 adj5 recipient\$1! adj6 (priority or attach\$5 or secur\$5 or urgen\$2) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:11
S64	0	check\$3 adj5 (email or e-mail) adj5 (prior or before) adj5 (send\$3 or sav\$3) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:12
S65	9	check\$3 with (email or e-mail) with (prior or before) adj5 (send\$3 or sav\$3) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:23
S66	13	prompt\$3 adj5 insert\$3 adj5 (urgen\$2 or body or text) with (subject or body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:25
S67	2	prompt\$3 with insert\$3 with (urgen\$2 or body or text) with (subject or body) with (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:27
S68	2	prompt\$3 with insert\$3 with (urgen\$2 or body or text) same (subject or body) with (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:27

S69	2	prompt\$3 with insert\$3 with (urgen\$2 or body or text) same (subject or body) same (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:27
S70	132	insert\$3 with (urgen\$2 or body or text) with (subject or body) with (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:28
S71	18	S70 and @ad<"20010320" and ("709"/((205-207).ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:52
S72	1	insert\$3 adj5 indicator\$1! with (email or e-mail) adj message\$1!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:58
S73	1	insert\$3 adj5 indicator\$1! same (email or e-mail) adj message\$1!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 19:58
S74	29	insert\$3 adj5 indicat\$5 same (email or e-mail) adj message\$1!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 20:05
S75	121	sav\$3 adj5 (email or e-mail) adj message\$1!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 20:05
S76	29	S75 and @ad<"20010320" and ("709"/((205-207).ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 20:06
S77	4	modif\$5 adj6 subject with (urgen\$2 or priority or encryp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:13
S78	8	insert\$3 adj6 subject with (urgen\$2 or priority or encryp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:56

S79	9	string adj3 attachment\$1! with (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:00
S80	0	insert\$3 with (indicator near4 (phrase\$1! or word\$1! or term\$1!)) with (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:02
S81	0	insert\$3 with (indicator near4 (phrase\$1! or word\$1! or term\$1!)) with (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:02
S82	2	(indicator near4 (phrase\$1! or word\$1! or term\$1!)) with (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:04
S83	19	(indicator\$1! near4 (phrase\$1! or word\$1! or term\$1!)) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:08
S84	60	notif\$5 with (phrase\$1! or word\$1! or term\$1!) with (email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:09
S85	17	S84 and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:12
S86	4	(count\$3 or accumul\$3) adj4 number near5 file\$1! same (email or e-mail) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:14
S87	10	number near5 (attach\$3 near3 file\$1!) with (email or e-mail) and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:21
S88	49	CC adj list and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:21

S89	47	(add\$3 or insert\$3 or append\$3) adj5 (importan\$2 or urgen\$2) near10 (subject or header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 20:04
S90	25	S89 and @ad<"20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 18:01
S91	47	(add\$3 or insert\$3 or append\$3) adj5 (importan\$2 or urgen\$2) near10 (subject or header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 20:04